

References

- Abrams, M.A., 2005. Significance of hydrocarbon seepage relative to petroleum generation and entrapment. *Marine and Petroleum Geology* **22**, 457–477. <https://doi.org/10.1016/j.marpetgeo.2004.08.003>
- Alexandre, P. & Kyser, K. 2006: Geochemistry of uraniferous bitumen in the Southwest Athabasca Basin, Saskatchewan, Canada. *Economic Geology* **101**, 1605-1610. <https://DOI:10.2113/gsecongeo.101.8.1605>
- Andrews, S. D., Decou, A., Braham, B., Kelly, S. R. A., Robinson, P., Morton, A., Marshall, J. E. A. & Hyden, F. 2020a: Exhumed hydrocarbon traps on the North Atlantic Margin: Stratigraphy, palaeontology, provenance and bitumen distribution, an integrated approach. *Basin Research* **32 (5)**, 1223-1243. <https://DOI:10.1111/BRE.12424>
- Andrews S. D., Decou, A., Braham, B., Kelly, S. R. A., Robinson, P., Morton, A., Marshall, J. E. A. & Hyden, F. 2020b: Exhumed hydrocarbon traps in East Greenland: Reply to Christensen et al.'s comment on Andrews et al. (2020). *Basin Research* **32 (5)**, 1249-1251. <https://doi.org/10.1111/bre.12467>
- Bennike, O. 1998: Pingoer [in Danish]. *Tidsskriftet Grønland* **1998**, 62-68.
- Bernstein, S. & Knudsen, C. 2004: Epithermal gold and massive sulphide mineralization in oil impregnated Palaeogene volcanic rocks of Ubekendt Ejland, West Greenland. *Geological Survey of Denmark and Greenland Bulletin* **4**, 77-80. <https://doi.org/10.34194/geusb.v4.4790>
- Bojesen-Koefoed, J.A. 2011: West Greenland petroleum systems. An overview of source rocks and oil seepages and their implications for offshore petroleum exploration. *Danmarks og Grønlands Geologiske Undersøgelse Rapport* **2011/42**, 49 pp.
- Bojesen-Koefoed, J.A., Alsen, P., Christiansen, F.G., Nytoft, H.P., Piasecki, S. & Stemmerik, L. 2009: Northeast Greenland petroleum systems. *Danmarks og Grønlands Geologiske Undersøgelse Rapport* **2009/43**, 342pp.
- Bojesen-Koefoed, J. A., Christiansen, F. G., Nytoft, H. P. & Pedersen, A. K. 1997: Seep data from onshore West Greenland. *Danmarks og Grønlands Geologiske Undersøgelse Rapport* **1997/34**, 7 pp., 7 figs, 8 tables.

- Bojesen-Koefoed, J., Christiansen, F. G., Nytoft, H. P. & Pedersen, A. K. 1999: Oil seepage onshore West Greenland: evidence of multiple source rocks and oil mixing. In Fleet, A.J. & Boldy, S. A. R. (eds), Petroleum Geology of Northwest Europe: Proceeding of the 5. Conference on the Petroleum Geology of Northwest Europe, 305-314. [DOI:10.1144/0050305](https://doi.org/10.1144/0050305)
- Bojesen-Koefoed, J. A., Nytoft, H. P. & Christiansen, F. G. 2004: Age of oils in West Greenland: was there a Mesozoic seaway between Greenland and Canada. Geological Survey of Denmark and Greenland Bulletin **4**, 49-52. <https://doi.org/10.34194/geusb.v4.4783>
- Bojesen-Koefoed, J. A., Nytoft, H. P. Christiansen, F. G. 2006: Oliefundene i Nuussuaqbassinnet [in Danish]. Kapitel 3.10, 250-255. In Bruun, L., Kristensen, R. M., Nielsen, N., Pedersen, G. K. & Pedersen, P. M. (eds.). Arktisk Station 1906-2006. Copenhagen: Forlaget Rhodos.
- Bojesen-Koefoed, J. A., Bidstrup, T., Christiansen, F. G., Dalhoff, F., Nytoft, H. P., Nøhr-Hansen, H., Pedersen, A. K. & Sønderholm, M. 2007: Petroleum seepages at Asuk, Disko, West Greenland: implications for regional petroleum exploration. Journal of Petroleum Geology **30**, 219-236. [DOI: 10.1111/j.1747-5457.2007.00219.x](https://doi.org/10.1111/j.1747-5457.2007.00219.x)
- Bojesen-Koefoed, J. A., Alsen, P. & Christiansen, F. G. 2014: Six years of petroleum geological activities in North-East Greenland (2008-2013). Projects and view of the future. Geological Survey of Denmark and Greenland Bulletin **31**, 59-62. <https://doi.org/10.34194/geusb.v31.4661>
- Bojesen-Koefoed, J. A., Bjerager, M., Nytoft, H. P., Petersen, H. I., Piasecki, S. & Pilgaard, A. 2018: Petroleum potential of the Upper Jurassic Hareelv Formation, Jameson Land, East Greenland. Geological Survey of Denmark and Greenland Bulletin **42**, 85-113. <https://doi.org/10.34194/geusb.v42.4314>
- Bojesen-Koefoed, J. A., Alsen, P., Bjerager; M., Hovikoski, J., Ineson; J., Nytoft; H. P., Nøhr-Hansen, H., Petersen, H. I., Pilgaard, A. & Vosgerau, H. 2020: A mid-Cretaceous petroleum source-rock in the North Atlantic region? Implications of the Nanok-1 fully cored borehole, Hold with Hope, northeast Greenland. Marine and Petroleum Geology **117**, <https://doi.org/10.1016/j.marpetgeo.2020.104414>
- Burrato, P.; Etiope, G.; Vannoli, P.; Ionescu, A. Inventory of hydrocarbon seeps in Italy (HYSED-IT). **(In preparation)**

- Christiansen, F. G. (ed.) 1988: Petroleum Geology of North Greenland Final Report – “Nordolie” (EFP 83-2251-305), Appendix II: Key data. 110 pp.
- Christiansen, F. G. (ed.) 1989: Petroleum geology of North Greenland. Bulletin Grønlands geologiske Undersøgelse **158**, 92 pp. + 11 plates.
- Christiansen, F. G. 1993: Disko Bugt Project 1992, West Greenland. *Rapport Grønlands geologiske Undersøgelse* **159**, 47-52
- Christiansen, F. G. 1994: Seeps and other bitumen showings: a review of origin, nomenclature and occurrences in Greenland. Open File Series Grønlands geol. Unders. **94/7**, 21 pp., 11 figs, 5 tables.
- Christiansen, F. G. 2011: Greenland petroleum exploration: history, breakthroughs in understanding and future challenges. In: Spencer, A., Embry, A., Gautier, D., Stoupakova, A. & Sørensen, K. (eds). Arctic Petroleum Geology. *Geological Society of London Memoir* **35**, 647-661.
[https://DOI: 10.1144/M35.42](https://doi.org/10.1144/M35.42)
- Christiansen, F. G. & Boserup, J. 1990: Analytical key data for assessment of the petroleum potential of the northern part of the East Greenland basin. Unpublished Report, The Geological Survey of Greenland, 80 pp.
- Christiansen, F. G. & Nøhr-Hansen, H. 1989: The Silurian shales of central and western North Greenland: evaluation of hydrocarbon source rock potential. Rapport Grønlands geologiske Undersøgelse **143**, 47-71
- Christiansen, F. G. & Rolle, F. 1985: Project ‘Nordolie’: hydrocarbon source rock investigations in central North Greenland. Rapport Grønlands geologiske Undersøgelse **125**, 17-21.
- Christiansen, F. G. & Stemmerik, L. 1989: Shallow core drilling of Upper Permian and Upper Triassic – Lower Jurassic potential reservoir rocks in central East Greenland. Rapport Grønlands geologiske Undersøgelse **145**, 79-84.
- Christiansen, F. G., Nøhr-Hansen, H. & Nykjær, O. 1987: The Cambrian Henson Gletscher Formation: a mature to postmature hydrocarbon source rock sequence from North Greenland. Rapport Grønlands geologiske Undersøgelse **133**, 141-157.

- Christiansen, F. G., Koch, C. J. W., Nøhr-Hansen, H., Stouge, S., Thomsen, E. & Østfeldt, P. 1989a: Thermal maturity. In Christiansen, F. G. (edit.) Petroleum Geology of North Greenland. Bulletin Grønlands geologiske Undersøgelse **158**, 40-60.
- Christiansen, F. G., Buchardt, B., Jensenius, J., Jepsen, H. F., Nøhr-Hansen, H. & Østfeldt, P. 1989b: Bitumen occurrences. In Christiansen, F. G. (edit.) Petroleum Geology of North Greenland. Bulletin Grønlands geologiske Undersøgelse **158**, 61-72.
- Christiansen, F. G., Olsen, H., Piasecki, S. & Stemmerik, L. 1990a: Organic geochemistry of Late Palaeozoic lacustrine shales in East Greenland. Advances in Organic Geochemistry 1989, Organic Geochemistry **16**, 287-294. [https://DOI: 10.1016/0146-6380\(90\)90048-5](https://doi.org/10.1016/0146-6380(90)90048-5)
- Christiansen, F. G., Piasecki, S. & Stemmerik, L. 1990b: Thermal maturation history of the Upper Permian succession in the Wegener Halvø area, East Greenland. Rapport Grønlands geologiske Undersøgelse **148**, 109-114.
- Christiansen, F. G., Bojesen-Koefoed, J., Jensen, S. M. & Stemmerik, L. 1991: Oil seep in basement, Germania Land, North-East Greenland. Open File Series Grønlands geologiske Undersøgelse **91/7**, 29 pp.
- Christiansen, F. G., Dam, G. & Pedersen, A. K. 1994a: Discovery of live oil at Marraat, Nuussuaq, West Greenland - field work, drilling and logging. Rapport Grønlands geologiske Undersøgelse **160**, 57-63.
- Christiansen, F. G., Bojesen-Koefoed, J. & Nytoft, H. P. 1994b: Organic geochemistry of oil impregnated cores from the Marraat-1 well, Nuussuaq, West Greenland - comparison with surface samples. Open File Series Grønlands geologiske Undersøgelse **94/8**, 26 pp., 11 figs, 6 tables.
- Christiansen, F. G., Dam, G., Larsen, L. M., Nøhr-Hansen, H., Pedersen, A. K. & Boserup, J., Bojesen-Koefoed, J., Laier, T & Pulvertaft, T. C. R. 1995: Stratigraphy, sedimentology and geochemistry of cores and other samples from the GANW#1 well, Nuussuaq, West Greenland. Confidential Report prepared for grønArctic Energy Inc., Regina, Saskatchewan, Canada. 52 pp.
- Christiansen, F. G., Bojesen-Koefoed, J., Nytoft, H.-P. & Laier, T. 1996a: Organic geochemistry of sediments, oils, and gases in the GANE#1, GANT#1, and GANK#1 wells, Nuussuaq, West

Greenland. Geological Survey of Denmark and Greenland Report **1996/23**, 35 pp., 30 figs, 23 tables.

Christiansen, F. G., Bojesen-Koefoed, J., Dam, G., Nytoft, H. P., Pedersen, A. K., Larsen, L. M. & Pulvertaft, T. C. R. 1996b: The Marraat oil discovery on Nuussuaq, West Greenland: evidence for a latest Cretaceous - earliest Tertiary oil source rock in the Labrador Sea - Melville Bay region. Bulletin of Canadian Petroleum Geology **44**, 39-54. [doi:https://doi.org/10.35767/gscpgbull.44.1.039](https://doi.org/10.35767/gscpgbull.44.1.039)

Christiansen, F. G., Bojesen-Koefoed, J. A., Dam, G., Laier, T. & Salehi, S. 2020: Oil and gas seepage in the Nuussuaq Basin, West Greenland – implications for petroleum exploration. GEUS Bulletin **44**, 4567 [doi:https://doi.org/10.34194/gscpgbull.44.4567](https://doi.org/10.34194/gscpgbull.44.4567)

Christiansen, F. G., Bojesen-Koefoed, J. A., Piasecki, S., Stemmerik, L. & Therkelsen, J. 2020: Exhumed Hydrocarbon Traps in East Greenland: A comment on Andrews et al. (2019). Basin Research **32** (5), 1244-1248. <https://doi.org/10.1111/bre.12463>

Dalhoff, F., Larsen, L. M., Ineson, J. R., Stouge, S., Bojesen-Koefoed, J. A., Lassen, S., Kuijpers, A., Rasmussen, J. A. & Nøhr-Hansen, H. 2006: Continental crust in the Davis Strait: new evidence from seabed sampling. Geological Survey of Denmark and Greenland Bulletin **10**, 33-36. <https://doi.org/10.34194/geusb.v10>.

Dam, G. & Christiansen, F. G. 1990: Organic geochemistry and source potential of the lacustrine shales of the Late Triassic - Early Jurassic Kap Stewart Formation, East Greenland. Marine and Petroleum Geology **7**, 428-443. [https://DOI: 10.1016/0264-8172\(90\)90019-D](https://DOI: 10.1016/0264-8172(90)90019-D)

Dam, G., Pedersen, G.K., Sønderholm, M., Midtgaard, H., Larsen, L.M., Nøhr-Hansen, H. & Pedersen, A.K. 2009: Lithostratigraphy of the Cretaceous-Paleocene Nuussuaq Group, Nuussuaq Basin, West Greenland. Geological Survey of Denmark and Greenland Bulletin **19**, 171 pp. <https://doi.org/10.34194/geusb.v19.4886>

Dawes, P. R., Frisch, T., Garde, A. A., Iannelli, T. R., Ineson, J. R., Jensen, S. M., Pirajno, F., Sønderholm, M., Stemmerik, L., Stouge, S., Thomassen, B. & van Gool, J. A. M. 2000: Kane Basin 1999: mapping, stratigraphic studies and economic assessment of Precambrian and Lower Palaeozoic provinces in north-western Greenland. Geology of Greenland Survey Bulletin **186**, 11-28. <https://doi.org/10.34194/ggub.v186.5211>

- Fyhn, M. B. W, Alsen, P., Bjerager, M., Bojesen-Koefoed, J. A., Christiansen, F. G., Guarnieri, P., Hovikoski, J., Ineson, J., Japsen, P., Knutz, P., Nielsen, L. H., Nøhr-Hansen, H., Piasecki, S., Therkelsen, J. & Vosgerau, H. in press: North-East and central East Greenland rifted tectono-sedimentary element. In: Drachev, S., Henriksen, E., Moore, T. & Harald Brekke (eds), Arctic Sedimentary Basins, Geological Society of London Memoir **xxx**, xxx-xxx.
- Gregersen, U., Bidstrup, T., Bojesen-Koefoed, J. A., Christiansen, F. G., Dalhoff, F. & Sønderholm, M. 2007: Petroleum systems and structures offshore central West Greenland: implications for hydrocarbon prospectivity. Geological Survey of Denmark and Greenland Bulletin **13**, 25-28. <https://doi.org/10.34194/geusb.v13.4968>
- Gregg, J. M. 2004: Basin fluid flow, base metal sulfide mineralization, and the development of dolomite petroleum reservoirs. In Braithwaite, C.J.R., Rizzi, G. & Darke, G. (eds). The geometry and petrogenesis of dolomite hydrocarbon reservoirs. Geological Society of London Special Publication **235**, 157-175. <https://doi.org/10.1144/GSL.SP.2004.235.01.07>
- Gregg, J. M. & Shelton, K. L. 2012: Mississippi Valley-type mineralization and ore deposits in the Cambrian-Ordovician Great American Carbonate Bank. In: Derby, J. R., Fritz, R. D., Longacre, S. A., Morgan, W. A. & Sternbach, C. A. (eds.) The great American carbonate bank: The geology and economic resources of the Cambrian-Ordovician Sauk megasequence of Laurentia. AAPG Memoir **98**, 163-186.
- Harpøth, O., Pedersen, J. L., Schønswandt, H. K. & Thomassen, B. 1986: The mineral occurrences of central East Greenland. Meddelelser om Grønland, Geoscience **17**, 137 pp.
- Henderson, G. 1969. Oil and gas prospects in the Cretaceous-Tertiary basin of West Greenland. Grønlands geologiske Undersøgelse Rapport **22**, 63 pp.
- Henderson, G. 1976: Petroleum geology. In Escher, A. & Watt, W. S. (eds.), Geology of Greenland, 488-505. Copenhagen: Geological Survey of Greenland.
- Hopper, J. R. & Ineson, J. in press: Title In: Drachev, S., Henriksen, E., Moore, T. & Harald Brekke (eds), Arctic Sedimentary Basins, Geological Society of London Memoir **xxx**, xxx-xxx.
- Hunt, J. M. 1979: Petroleum geochemistry and geology, 615 pp., W.H. Freeman and Co., San Francisco.

- Ionescu, A., Burrato, P., Baci, C., Etiope, G. & Boglarka-Mercedesz, K. 2017: Inventory of Onshore Hydrocarbon Seeps in Romania (HYSED-RO Database). *Geosciences* **7**, 39; [doi:10.3390/geosciences7020039](https://doi.org/10.3390/geosciences7020039)
- Jakobsen, U. H. & Omoto, H. 1993: Bitumen associated with precipitation of sulphides in a carbonate-hosted vein mineralization, North Greenland. In Parnell, N. J., Kucha, H. & Landais, P. (eds.) *Bitumens in ore deposits. Special Publication 9 Soc. Geol. Appl. Min. Deposits.* 399-414. Berlin-Heidelberg: Springer Verlag.
- Jakobsen, U. H. & Steinfeld, A. 1985: Zinc mineralization at Navarana Fjord, central North Greenland. *Rapport Grønlands geologiske Undersøgelse* **126**, 105-109
- Jensen, S. M. 1998: Carbonate-hosted Zn-Pb-Ag mineralization in Washington Land, western North Greenland. *Geology of Greenland Survey Bulletin* **180**, 67-72. <https://doi.org/10.34194/ggub.v180.5088>
- Jonk, R., Parnell, J. & Whitham, A. 2005: Fluid inclusion evidence for a Cretaceous-Palaeogene petroleum system, Kangerlussuaq Basin, East Greenland. *Marine and Petroleum Geology* **22**, 319-330. <https://doi.org/10.1016/j.marpetgeo.2005.01.002>
- Karlsen, D. A., Leythaeuser, D. & Schaefer, R. G. 1988: Light hydrocarbon redistribution in a shallow core from the Ravnefjeld formation on the Wegener Halvø, East Greenland. *Organic Geochemistry* **13** (1-3), 393-398. [https://doi.org/10.1016/0146-6380\(88\)90061-7](https://doi.org/10.1016/0146-6380(88)90061-7)
- Konnerup-Madsen, J., Larsen, E. & Rose-Hansen, J. 1979: Hydrocarbon-rich fluid inclusions in minerals from the alkaline Ilímaussaq intrusion, South Greenland. *Bulletin de Minéralogie* **102**, 642-653.
- Krabbe, H., Christiansen, F. G., Dam, G. & Piasecki, S. & Stemmerik, L. 1994: Organic geochemistry of the Lower Jurassic Sortehat Member, Jameson Land. *Rapport Grønlands geologiske Undersøgelse* **164**, 5-18
- Kus, J., Pletsch, T., 2012. Thermal maturity of Lower Palaeozoic sediments in western North Greenland. In: *GeoHannover 2012, „GeoRohstoffe für das 21. Jahrhundert“ / “GeoResources for the 21st Century”*, Eds. Kümpel, H.-J., Röhling, H.-G.; Steinbach. Leibniz Universität Hannover, Hannover, Germany, 01-03.10.2012. Kurzfassungen der Vorträge und Poster. *Schriftenreihe der Deutschen Gesellschaft für Geowissenschaften* **80**, p. 538.

- Laier, T. & Nytoft, H. P. 2012a: Bitumen biomarkers in the mid-Proterozoic Ilímaussaq intrusion, Southwest Greenland – a challenge to the mantle gas theory. *Marine and Petroleum Geology* **30**, 50–65. <https://doi.org/10.1016/j.marpetgeo.2011.11.008>
- Laier, T. & Nytoft, H. P. 2012b: New evidence for possible generation of oil off south-western Greenland. *Geological Survey of Denmark and Greenland Bulletin* **26**, 65-68. <https://doi.org/10.34194/geusb.v26.4756>
- Landais, P. 1993: Bitumens in Uranium Deposits In: Parnell, J., Kucha, H. & Landais (eds.) Bitumens in ore deposits. Special Publication 9 Soc. Geol. Appl. Min. Deposits. 213-238. Berlin-Heidelberg: Springer Verlag.
- Landais, P. 1996: Organic geochemistry of sedimentary uranium ore deposits. *Ore Geology Reviews* **11**, 33-51. [https://doi.org/10.1016/0169-1368\(95\)00014-3](https://doi.org/10.1016/0169-1368(95)00014-3)
- Larsen, L.M., Heaman, L.M., Creaser, R.A., Duncan, R.A., Frei, R., Hutchinson, M., 2009: Tectonomagmatic events during stretching and basin formation in the Labrador Sea and the Davis Strait: evidence from age and composition of Mesozoic to Palaeogene dyke swarms in West Greenland. *Journal of the Geological Society, London* **166**, 999–1012. <https://doi.org/10.1144/0016-76492009-038>
- Link, W. K. 1952: Significance of oil and gas seeps in World exploration. *AAPG Bulletin* **36**, 1505-1540. [doi:https://doi.org/10.1306/5CEADB3F-16BB-11D7-8645000102C1865D](https://doi.org/10.1306/5CEADB3F-16BB-11D7-8645000102C1865D)
- Macgregor, D. S. 1993: Relationships between seepage, tectonics and subsurface reserves. *Marine and Petroleum Geology* **10**, 606-619. [https://doi.org/10.1016/0264-8172\(93\)90063-X](https://doi.org/10.1016/0264-8172(93)90063-X)
- Marcussen, C., Christiansen, F. G., Larsen, P.-H., Olsen, H., Piasecki, S., Stemmerik, L., Bojesen-Kofoed, J., Jepsen, H. F. & Nøhr-Hansen, H. 1987: Studies on the onshore hydrocarbon potential in East Greenland 1986-87: field work from 72° to 74°N. *Rapport Grønlands geologiske Undersøgelse* **135**, 72-81.
- Mikkelsen, A. 1993: Grønlands “lovende oliefund” [in Danish]. *Tidsskriftet Grønland* **1993 (7)**, 307-311.

- Palabiyik, Y. and Ozdemir, A., 2019. Oil and gas seeps in Turkey: A review. 7th International Symposium on Academic Studies in Science, Engineering and Architecture Sciences, November 15-17, Ankara, Turkey, 726-740.
- Paradis, S., Hannigan, P. & Dewing, K. 2007: Mississippi Valley-type lead-zinc deposits. In Goodfellow, W. D. (ed.) Mineral Deposits of Canada: A synthesis of major deposits-types, district metallogeny, the evolution of geological provinces, and exploration methods. Geological Association of Canada, Mineral Deposits Division, Special Publication 5, 185-203.
- Parnell, J. 1988: Metal enrichment in solid bitumens: a review. *Mineralium Deposita* **23**, 191–199. <https://doi.org/10.1007/BF00204301>
- Pedersen, A. K 1986: Indication of migrated hydrocarbons in Tertiary volcanic rocks from western Nûgssuaq, Rapport Grønlands geologiske Undersøgelse **130**, 32-35.
- Pedersen, A. K., Larsen, L. M., Pedersen, G. K. & Dueholm, K. S. 2008: Geological map of the area around Sikillingi, western Nuussuaq, central West Greenland, 1:20 000. Copenhagen: Geological Survey of Denmark and Greenland.
- Pedersen, A.K., Larsen, L.M. & Pedersen, G.K. 2017: Lithostratigraphy, geology and geochemistry of the volcanic rocks of the Vaigat Formation on Disko and Nuussuaq, Paleocene of West Greenland. Geological Survey of Denmark and Greenland Bulletin **39**, 244 pp. <https://doi.org/10.34194/geusb.v39.4354>
- Pedersen, G. K., Andersen, L. A., Lundsteen, E. B., Petersen, H. I., Bojesen-Koefoed, J. A. and Nytoft, H. P., 2006: Depositional environments, organic maturity and petroleum potential of the Cretaceous coal-bearing Atane Formation at Qullisat, Nuussuaq Basin, West Greenland, *Journal of Petroleum Geology* **29**, 3-26. <https://doi.org/10.1111/j.1747-5457.2006.00003.x>
- Perregaard, J. & Schiener, E.J., 1979: Thermal alteration of sedimentary organic matter by a basalt intrusive (Kimmeridgian shales, Milne Land, east Greenland), *Chemical Geology* **26**, 331–343. [https://doi.org/10.1016/0009-2541\(79\)90055-X](https://doi.org/10.1016/0009-2541(79)90055-X)
- Peters, K.E., Walters, C.C., Moldowan, J.M., 2005. *The Biomarker Guide*, Volumes 1+2, 1155pp Cambridge University Press.

- Petersen, H. I., Bojesen-Koefoed, J. A. & Nytoft, H. P. 2002. Source rock evaluation of Middle Jurassic coals, northeast Greenland, by artificial maturation: aspects of petroleum generation from coal. AAPG Bulletin **86**, 233-256. <https://doi.org/10.1306/61EEDA9E-173E-11D7-8645000102C1865D>
- Petersen, H.I., Øverland, J.A., Solbakk, T., Bojesen-Koefoed, J. A. & Bjerager, M. 2013: Unusual resinite-rich coals found in northeastern Greenland and along the Norwegian coast: Petrographic and geochemical composition, International Journal of Coal Geology **109–110**, 58–76. <https://doi.org/10.1016/j.coal.2013.02.001>
- Petersilie, I.A. & Sørensen, H. 1970: Hydrocarbon gases and bituminous substances in rocks from the Ilímaussaq alkaline intrusion, South Greenland. Lithos **3**, 59–76. [https://doi.org/10.1016/0024-4937\(70\)90088-5](https://doi.org/10.1016/0024-4937(70)90088-5)
- Piasecki, S. 1987: LECO/Rock-Eval screening analysis of the Upper Paleozoic – Mesozoic sediments of Jameson Land, central East Greenland. Unpublished Report, The Geological Survey of Greenland. 61 + 72 pp.
- Piasecki, S., Christiansen, F. G. & Stemmerik, L. 1990: Depositional history and organic geochemistry of Carboniferous lacustrine deposits in East Greenland. Bulletin of Canadian Petroleum Geology **38 (3)**, 273-287. <https://DOI: 10.1016/B978-0-444-88943-0.50009-5>
- Poulsen, V. 1966: An occurrence of Lower Palaeozoic rocks within the Precambrian terrain near Sukkertoppen. The Geological Survey of Greenland Report no. 11 (Report of activities 1966) p.26
- Price, S. P. & Whitham, A. G. 1997: Exhumed hydrocarbon traps in East Greenland: Analogs for the Lower-Middle Jurassic Play of North West Europe 1. AAPG Bulletin **81**, 196-221. [DOI:10.1306/522B42E9-1727-11D7-8645000102C1865D](https://doi.org/10.1306/522B42E9-1727-11D7-8645000102C1865D)
- Requejo, A. G., Hollywood, J. & Halpern, H. I. 1989: Recognition and source correlation of migrated hydrocarbons in Upper Jurassic Hareelv Formation, Jameson Land, East Greenland. AAPG Bulletin **73**, 1065-1088. [doi:https://doi.org/10.1306/44B4A53C-170A-11D7-8645000102C1865D](https://doi.org/10.1306/44B4A53C-170A-11D7-8645000102C1865D)

- Secher, K. & Steenfelt, A. 1976: Foreløbig rapport over malmmikroskopisk og mineralogisk undersøgelse af radioaktiv mineraliseringer i Randbøldal, Østgrønland [in Danish]. Upubliceret GGU rapport, 33 pp. + appendices.
- Secher, K., Nielsen, B. L. & Steenfelt, A. 1976: Uraniferous hydrocarbons (Carburan) associated with Devonian acid volcanic rocks, Randbøldal, northern East Greenland. Rapport Grønlands geologiske Undersøgelse **80**, 112-115.
- Scholle, P. A., Stemmerik, L. & Ulmer, D. S. 1991: Diagenetic history and hydrocarbon potential of Upper Permian carbonate build-ups, Wegener Halvø area, Jameson Land basin, East Greenland. AAPG Bulletin **75**, 701-725. <https://doi.org/10.1306/OC9B2835-1710-11D7-8645000102C1865D>
- Schumacher, D., Abrams, M.A., (eds.) 1996. Hydrocarbon migration and its near surface expression. AAPG Memoir **66**, 446 pp.
- Stemmerik, L., Scholle, P. A., Thomas, E., Amondolina, M., Henk, F. M. & Uncini, G. 1989: Facies mapping and reservoir evaluation of the Upper Permian Wegener Halvø Formation in Wegener Halvø, East Greenland. Rapport Grønlands geologiske Undersøgelse **145**, 84-87.
- Stemmerik, L., Christiansen, F. G. & Piasecki, S. 1990: Carboniferous lacustrine shales in East Greenland - an additional source rock in the northern Atlantic? In Katz, B. (edit.) Lacustrine exploration: case studies and modern analogues. AAPG Memoir **50**, 277-286. <https://DOI:10.1306/m50523c17>
- Stemmerik, L., Søndersholm, M. & Bojesen-Koefoed, J. 1997: Palaeo-oil field in a Silurian carbonate buildup, Wulff Land. Geology of Greenland Survey Bulletin **176**, 24-28. <https://doi.org/10.34194/ggub.v176.5056>
- Sørensen, E. V., Hopper, J. R., Pedersen, G. K., Nøhr-Hansen, H., Guarnieri, P., Pedersen, A. K. & Christiansen, F. G. 2017: Inversion structures as potential petroleum exploration targets on Nuussuaq and northern Disko, onshore West Greenland. Geological Survey of Denmark and Greenland Bulletin **38**, 45-48. <https://doi.org/10.34194/geusb.v38.4406>
- Thomassen, B. 1973: Heavy metal content of the Posidonia Shales on Wegener Halvø. Rapport Grønlands geologiske Undersøgelse **58**, 33-35.

- Thomassen, B., Clemmensen, L. B. & Schønwandt, H. K. 1982: Stratabound copper-lead-zinc mineralisation in the Permo-Triassic of central East Greenland. Bulletin Grønlands geologiske Undersøgelse **143**, 42 pp.
- Thrane, K. & Kalvig, P. 2019: Graphite potential in Greenland. *Geology and Ore* **32**, 12 pp.
- Van der Stijl, F. W. & Mosher, G. Z. 1998: The Citronen Fjord massive sulphide deposit, Peary Land, North Greenland: discovery, stratigraphy, mineralization and structural setting. *Geology of Greenland Survey Bulletin* **179**, 40 pp.
- Von Guttenberg, R. & van der Stijl, F. 1993: North Greenland Project 1992. Report of Work. Nanisivik Mines Ltd., Platinova A/S. 129 pp.
- Watt, W. S. compiler 2019: Stratigraphic lexicon for Greenland. Copenhagen: Geological Survey of Denmark and Greenland (GEUS), 327 pp.
- Watt, W. S. & Wrang, P. 1984: Migrated hydrocarbons in basalt on the south side of Scoresby Sund. Rapport Grønlands geologiske Undersøgelse **120**, 84-85.
- Zheng, G., Xua, W., Etiope, G., Ma, X., Liangd S., Fana; Q., Sajjada W. & Lia, Y. 2018: Hydrocarbon seeps in petroliferous basins in China: A first inventory. *Journal of Asian Earth Sciences* **151**, 269-284.
<https://doi.org/10.1016/j.jseaes.2017.10.037>